

# Food Establishment Inspection Report



Wichita Falls - Wichita County  
Public Health District  
1700 Third Street  
Wichita Falls, TX 76301  
940-761-7800

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
4547	2		02/25/2010		O'Neal, Robbie

SITE INFORMATION	INVENTORY/MANAGER	SERVICE TYPE/FREQUENCY
ZOOM IN FOOD STORE 2306 5TH WICHITA FALLS TX 76301	Deli	Inspection- Regular Inspected 2 Times per Year

---

**Violations: Critical - 5 Score: 85**

---

## CRITICAL VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>POINTS</u>	<u>CORRECTED</u>
17	Handwash Facilities with Soap & Towels	3	_____
21	Manual/Mechanical Warewashing & Sanitizing @ ____ ppm/Temp.	3	_____
22	Manager Demonstration of knowledge/Food Handlers Certificate	3	_____
25	Food Contact Surfaces-Cleaned/Sanitized/Good Repair/Storage	3	_____
27	Food Establishment Permit	3	_____

## CRITICAL VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
17	<p>Texas Food Establishment Rules</p> <p>Page 122 §229.167 (e) Handwashing facilities. (1) Minimum number. Handwashing facilities shall be provided as specified under §229.166(g)(1) of this title.</p> <p>(2) Handwashing cleanser, availability. Each handwashing lavatory or group of 2 adjacent lavatories shall be provided with a supply of hand cleaning liquid, powder, or bar soap.</p> <p>(3) Hand drying provision. Each handwashing lavatory or group of adjacent lavatories shall be provided with:</p>

<u>CODE</u>	<u>DESCRIPTION</u>
	<p>(A) individual, disposable towels;</p> <p>(B) a continuous towel system that supplies the user with a clean towel; or</p> <p>(C) a heated-air hand drying device.</p>
To Wit:	No hand cleaning material, i.e., liquid, powder or bar soap, is available at the handwash facilities in the customer service area.
To Correct:	Hand cleaning material, i.e., liquid, powder or bar soap, must be available at the handwash facilities in the customer service area. Corrections must be made immediately.
21	<p>Texas Food Establishment Rules</p> <p>TFER 229.165(k) thru 229.165(y)</p> <p>The wash compartment of the sink shall, when used for washing, contain a wash solution mixed according to manufacturer's label instructions. The temperature of the wash solution shall be maintained at not less than 43 degrees C (110 degrees F) unless specified differently by the manufacturer of the washing agent. If a detergent-sanitizer is used without a hot water rinse, the same agent must be used in both the cleaning and sanitizing steps. A chemical sanitizer used in a sanitizing solution shall be used in accordance with EPA approved manufacturer's label use instructions. If hot water is used for sanitizing, the temperature of the water shall be maintained at 77 degrees C (171 degrees F) or above. Warewashing machines, manufacturers' operating instructions. A warewashing machine and its auxiliary components shall be operated in accordance with the machine's data plate and other manufacturer's instructions. A warewashing machine's conveyor speed or automatic cycle times shall be maintained accurately timed in accordance with manufacturer's specifications. Mechanical warewashing equipment, hot water sanitization temperatures. Except as specified in subparagraph (B) of this paragraph, in a mechanical operation, the temperature of the fresh hot water sanitizing rinse as it enters the manifold may not be more than 90 degrees Celsius (194 degrees Fahrenheit), or less than: for a stationary rack, single temperature machine, 74 degrees Celsius (165 degrees Fahrenheit); or for all other machines, 82 degrees Celsius (180 degrees Fahrenheit). The maximum temperature specified under subparagraph (A) of this paragraph does not apply to the high pressure and temperature systems with wand-type, hand-held spraying devices used for the in-place cleaning and sanitizing of equipment such as meat saws. Mechanical warewashing equipment, sanitization pressure. The flow pressure of the fresh hot water sanitizing rinse in a warewashing machine may not be less than 100 kilopascals (15 pounds per square inch) or more than 170 kilopascals (25 pounds per square inch) as measured in the water line immediately downstream or upstream from the fresh hot water sanitizing rinse control valve.</p>
To Wit:	A sink with at least three compartments is not provided for manually washing, rinsing and sanitizing equipment and utensils or a warewashing machine or alternative equipment has not been approved by the Health Authority.
To Correct:	A sink with at least three compartments shall be provided for manually washing, rinsing and sanitizing equipment and utensils unless a warewashing machine or alternative equipment has been approved by the Health Authority. Corrections must be made immediately.
22	Page 20 229.163

CODE	DESCRIPTION
	<p>(b) Knowledge, Demonstration. Based on the risks of foodborne illness inherent to the food operation, during inspections and upon request the person in charge shall demonstrate to the regulatory authority knowledge of foodborne disease prevention, application of the Hazard Analysis Critical Control Point principles, and the requirements of these rules. The person in charge shall demonstrate this knowledge by compliance with these rules, by being a certified food protection manager who has shown proficiency of required information through passing a test that is part of an accredited program, or by responding correctly to the inspector's questions as they relate to the specific food operation. The person in charge may demonstrate such knowledge by:</p>
25	<p>Page 76 §229.165(d) (d) Cleanability. (1) Food-contact surfaces. Multiuse food-contact surfaces shall be: (A) smooth; (B) free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections; (C) free of sharp internal angles, corners, and crevices; (D) finished to have smooth welds and joints; and (E) except as specified in subparagraph (B) of this paragraph, accessible for cleaning and inspection by one of the following methods: (i) without being disassembled; (ii) by disassembling without the use of tools; or (iii) by easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, and wrenches. (2) Paragraph (5) of this subsection does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes. (3) Cleaned in place (CIP) equipment. (A) CIP equipment shall meet the characteristics specified under paragraph (1) of this subsection and shall be designed and constructed so that: (i) cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces; and (ii) the system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and</p>
To Wit:	<p>The microwave oven located in the customer service area has adhering food or food particles.</p>
To Correct:	<p>The microwave oven located in the customer service area must be properly washed, rinsed and sanitized and free of food or food particles. Corrections must be made immediately.</p>
27	<p>Page 126 229.171(f) &amp; (g) A person may not operate a food establishment without a valid health permit to operate. The permit is not valid without a valid Certificate of Occupancy issued by the Wichita Falls/ Wichita County Public Health District. The permit holder will: 1) post the permit at a location in the food establishment that is conspicuous to consumers 2) immediately discontinue operations and notify the Environmental Health Division a</p>

**CODE**

**DESCRIPTION**

t940-761-7820 if an imminent health hazard exists

- 3) replace/upgrade existing facilities and equipment in accordance with TFER guidelines
- 4) comply with directives of the regulatory authorities including time frames for corrective actions
- 5) other provisions of the TFER

The permit holder shall designate a person in charge and shall ensure that a person in charge is present at the food establishment during all hours of operation.

All food service employees shall attend a food handler class and shall obtain a food handler's certificate.

To Wit: Your annual health permit in not displayed.

To Correct: Your facility permit must be prominently displayed in a public area of your facility. Corrections must be made within 7 days.

**I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Establishment Inspection Report.**

\_\_\_\_\_  
**Robbie O'Neal, Public Health Inspector II**

\_\_\_\_\_  
**OWNER / MANAGER SIGNATURE**

\_\_\_\_\_  
**OWNER / MANAGER PRINT NAME**